# COOPERAGES 1912

# SAMPLE DOCUMENT

#### **DECLARATION OF SUITABILITY OF FOOD SAFETY**

#### **COMPANIES:**

Name and Address of Receiving Party:

Name and Address of Supplier/Last Processor: Missouri Cooperage 1078 S. Jefferson Lebanon, MO 65536, USA

Name and Address of US Distributor: Cooperages 1912 2557 Napa Corporate Drive Suite D Napa, CA 94558, USA

<u>Product Name and Trade Name of the Supplied Product:</u>
T.W. Boswell Barrels and World Cooperage Barrels

### **DECLARATIONS:**

### **BSE Status:**

The products in question have been produced from products sourced from countries of low BSE risk (USA/France).

#### **GMO Status:**

The products in question have been produced without the use of genetically modified organisms and/or products derived from these.

## **Allergens Status:**

The products in question do not contain any of the following ingredients: Seafood and/or seafood products; Milk and/or milk products; Egg and/or egg products; nuts and/or nut products.

We have procedures to avoid cross-contamination of the product with the allergens noted above and not present in the product.













# COOPERAGES 1912

We have an HACCP program.

We have ISO 9001 Registration.

# **SUPPLIER CERTIFICATION:**

**Buyer Order:** 

Cooperages 1912 Invoice:

Date of Shipment:

Place:

Laboratory Analyses Result:

Name and Position:

Authorized Signature:

FDA Facility Registration Number:

# WORLD COOPERAGE AND T.W. BOSWELL PRODUCT SPECIFICATIONS

#### Purpose:

The specifications refer to capacity and performance requirements for toasted French, American, and Eastern European oak barrels used in winemaking.

### Definitions:

**Oak**: Wood sourced expressly from the species *Quercus petrae* grown in France and Eastern Europe or *Quercus alba* grown in the United States of America.

Wine Barrel: Container of capacity from 53 to 65 Gallons (US) or 200 to 240 Liters.

**Seasoned Oak**: Oak logs are sawn into staves and stacked on pallets to allow for the natural flow of air and for percolation of rainwater.

Toasting: Barrels are toasted by fire or infrared heat. Temperature range for toasting is from 150 F to 500 F depending on product type.

#### **Product Preparation:**

Oak barrels are assembled, bent by fire or water, toasted by fire or infrared heat, finished, and branded by laser.













# 2557 Napa Valley Corporate Drive, Ste. D Napa, CA 94558 | (707) 255-5900 cooperages1912.com

# COOPERAGES 1912

# Packaging:

The packaging is free of contamination from chemicals, herbicides, pesticides, metal, or any other foreign matter whether organic or non-organic in nature.

# Labeling:

All barrels are labeled showing the following:

Brand

**Product Name** 

Oak Type

Toast Type (and Level when needed)

#### Storage:

Cooperages 1912 products are stored under cover in dry, secure conditions prior to dispatch to clients.

# **Transport and Shipping:**

Transport vehicles and shipping containers are free of extraneous matter, moisture before loading and obvious chemical contamination before loading











